

New Acetaminophen (Tylenol) Dosage Chart (Every 4 Hours, as needed)

Weight (lbs)	Age	Infant Drops (160 mg/5 ml)	Children's Suspension/Elixir (160 mg/5 ml)	Children's Soft Chew Tablets (80 mg each)	Jr. Strength Tabs/Caps (160 mg each)	Rectal Suppositories (various doses)
6 to 11	2 to 3 mos.	1.25 ml in syringe				(½) 80 mg suppository
12 to 17	4 to 11 mos.	2.5 ml in syringe				(1) 80 mg suppository
18 to 23	12 to 23 mos.	3.75 ml in syringe				(1) 120 mg suppository
24 to 35	2-3 yrs.	5 ml in syringe	1 tsp= 5 ml	2 chew tabs		(½) 325 mg suppository
36 to 47	4-5 yrs.		1.5 tsp= 7.5 ml	3 chew tabs	1.5 tabs/caps	(2) 120 mg suppository
48 to 59	6 to 8 yrs.		2 tsp= 10 ml	4 chew tabs	2 tabs/caps	(1) 325 mg suppository
60 to 71	9 to 10 yrs.		2.5 tsp= 12.5 ml	5 chew tabs	2.5 tabs/caps	(1) 325 mg suppository
72 to 95	11 yrs.		3 tsp= 15 ml	6 chew tabs	3 tabs/caps	(1½) 325 mg suppository
over 95	over 11 yrs.		4 tsp= 20 ml	8 chew tabs	4 tabs/caps OR 2 adult tabs/caps	(1) 650 mg suppository OR (2) 325 mg suppository



Ibuprofen (Motrin/Advil) Dosage Chart (Every 6-8 Hours, as needed)				
Weight (lbs)	Age	Infant Drops (50 mg/1.25 ml)	Children's Suspension (100 mg/5 ml)	Chewable Tabs (100 mg each)
under 12	<i>Do not give Ibuprofen to an infant under the age of 6 months</i>			
12 to 17	6 to 12 mos.	1.25 ml		
18 to 23	12 to 23 mos.	1.875 ml		
24 to 35	2-3 yrs.		1 tsp= 5 ml	1 tab
36 to 47	4-5 yrs.		1.5 tsp= 7.5 ml	1½ tab
48 to 59	6 to 8 yrs.		2 tsp= 10 ml	2 tab
60 to 71	9 to 10 yrs.		2.5 tsp= 12.5 ml	2½ tab
72 to 95	11 yrs.		3 tsp= 15 ml OR 1 adult cap/tab	3 tabs OR 1 adult cap/tab
over 95	For older children who can swallow pills, adult ibuprofen contains 200 mg. per capsule/tablet. Children 12 years and older can take 2 adult ibuprofen caps/tabs every 6 to 8 hours as needed.			